MATERIAL SAFETY DATA SHEET

1. IDENTIFICATION

OSTREM CHEMICAL CO. LTD. 2310 - 80 AVENUE EDMONTON AB T6P 1N2 Phone: 780-440-1911 or 780-446-0177 In Case of Emergency Only: phone CANUTEC at (613) 996-6666

Code: G605

Product name:ANTI SLIP FLOOR TREATMENTOther name:Distributed by:Product use:floor treatmentDate completed:April 01, 2014

2. COMPOSITION/INFORMATION ON INGREDIENTS				
Ingredient	%W/W	CAS number		
ammonium bifluoride	1-5	1341-49-7		
alkyl benzenesulfonic acid	1-5	68584-22-5		

3. HAZARDS IDENTIFICATION

Corrosive liquid. Causes burns. Harmful if swallowed.

4. FIRST AID MEASURES

Inhalation:Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give
oxygen. Get medical attention.Ingestion:Induce vomiting only on the direct advice of a poison control centre. Drink 1-2 glasses of
water. Never give anything by mouth to an unconscious person. Get medical attention.Eye contact:Flush with plenty of water for at least 15 minutes. Get medical attention.Skin contact:Remove contaminated clothing and flush with plenty of water.

5. FIRE - FIGHTING MEASURES

Flash point (test method):	Not applicable
Flammable limits (%):	Non-flammable
Lower:	Not applicable
Upper:	Not applicable
Fire extinguishing substances:	Use extinguishing media appropriate for surrounding fire.
Autoignition temperatures:	Not applicable
Hazardous combustion products:	May liberate carbon monoxide, carbon dioxide and hydrogen gas.
Explosion data:	
Sensitivity to mechanical impact:	Not applicable
Sensitivity to static discharge:	Not applicable
Special firefighting procedures:	As for surrounding fire. Fire fighters should wear full protective clothing and self contained breathing equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions:	Wear appropriate protective equipment.		
Environmental precautions:	Prevent from entering sewers, waterways or low areas.		
Methods for cleaning up:	Isolate hazard area and restrict access. Small spills: soak up with inert absorbent material and scoop into containers. Large spills: prevent contamination of waterways. Dike and pump into suitable containers. Clean up residual with absorbent material, place in appropriate container and flush with water.		

7. HANDLING AND STORAGE

Handling:Do not ingest. Avoid contact with eyes, skin and clothing. Wash thoroughly after handling.Storage:Keep out of reach of children. Keep container tightly closed. Store in a cool, dry area.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls:		Provide exhaust ventilation to keep airborne levels below				
		recommended expo	osure limits	S		
Respiratory protection:		If exposure exceeds	If exposure exceeds occupational exposure limits, use an appropriate			
		NIOSH approved re	•			
Eye protection:				e shield if splashing hazards exists.		
		0.00				
Other protection:		Wear protective clothing as necessary to prevent skin contact.				
Exposure limits:						
INGREDIENT		ACGIH OSHA		Other		
ammonium bifluori	de	TLV-TWA 2.5 mg/m	າ3			
alkyl benzenesulfo	nic acid	Not available				
9. PHYSICAL AN	ND CHEMICAL PRO	PERTIES				
Physical state:	Liquid	Solubility in water:		100%		
Boiling point:	Not available	Vapour pressure:	-	Not available		
Vapour density:	Not available	Evaporation rate:		Not available		
Freezing point:	Not available	Odour threshold:		Not available		
Sp. Gravity:	1.007	pH:		<1		
Appearance & od	our:	clear, colourless liqu	uid with pu	ngent odour		
10. STABILITY A	AND REACTIVITY					
Stability:		Stable				
Conditions of ins	tability:	Not available				
Incompatibility:		() Water (X) Oxidizers () Acid (X) Base () Other				
	ctivity:	Reacts with metals				
Conditions of reactivity: Hazardous decomposition products:		Not available				
	inposition products.	NUL avaliable				
		3				
	TE HEALTH EFFECTS					
Inhalation:	Corrosive to respirat					
Ingestion:		 Causes burns to mo 	buth, throat	t and stomach.		
Eye contact:		Corrosive to eyes. Causes severe burns.				
Skin contact:	Corrosive to skin. Causes severe burns.					
Skin absorption:	n: Not applicable					
POTENTIAL CHRONIC HEALTH EFFECTS:						
Inhalation:	Repeat or prolonged exposure may cause damage to lungs.					
Ingestion:	Not available					
Eye contact:	Not available					
Skin contact:	Not applicable					
Skin absorption:	Not applicable					
Irritancy of produ	ct.	So.		criteria		
Sensitization of product:			See WHMIS criteria Not available			
•						
carcinogenicity:		INO		phificant effects.		

Carcinogenicity: IARC (1, 2A or 2B) ACGIH: (A1, A2 or A3) Reproductive toxicity: Not available No known significant effects. No known significant effects. No known significant effects. HAZARDOUS INGREDIENTS ammonium bifluoride alkyl benzenesulfonic acid No known significant effects. No known significant effects. Not available

 CAS NO.
 TOXICITY DATA

 1341-49-7
 LD₅₀ Oral (rat) 130 mg/kg

 68584-22-5
 LD₅₀ Oral (rat) 530 mg/kg

 LD₅₀ Dermal (rat) 530 mg/kg

12. ECOLOGICAL INFORMATION Ecotoxicological information: Other information:

Not available

13. DISPOSAL CONSIDERATIONS

Waste disposal: Disposal of all waste must be done according to local, provincial and federal regulations.

14. TRANSPORT INFORMATION

TDG classification:

CORROSIVE LIQUID, N.O.S.(AMMONIUM HYDROGENDIFLUORIDE, ALKYL SULFONIC ACID); Class 8; UN 1760; PG II

15. REGULATORY INFORMATION WHMIS:

E

Corrosive material

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

16. PREPARATION INFORMATION

Prepared by: Technical Services Department, Ostrem Chemical Co. Ltd., Ph: (780) 440-1911